

### Amendments to the Claims

This listing of claims will replace all prior versions and listings of claims in the application:

### Listing of Claims:

1. (currently amended) A display device for supporting a plurality of picture frame pieces ~~items~~ comprising:

a frame member having an internal section; and  
at least one rotating member mounted to the frame member and comprising a rack which rotates via a central axis and which supports a the plurality of display picture frame pieces.

2. (currently amended) The device of Claim 1 wherein the display picture frame pieces ~~are supported by hook and loop fasteners~~ ~~comprise picture frame mold members~~.

3. (currently amended) A display device for supporting ~~a plurality of items such as~~ picture frame molds comprising:

a frame housing having a plurality of internal open sections;  
a plurality of rotating panel members, each of which is situated within an internal section and each of which rotates relative to a central axis; and  
~~means~~ fasteners for affixing the picture frame molds to the rotating panel member.

4. (original) The display device of Claim 3 wherein the plurality of rotating panel members comprises an “x-shaped” composite of four members.

5. (currently amended) A display device for supporting a plurality of ~~items such as~~ picture frame molds comprising:

a frame housing having a plurality of internal open sections;  
a plurality of rotating panel members ~~have~~ having an “x-shape,” each of which is

situated within an internal section and each of which rotates relative to a central axis;

~~means~~ fasteners for affixing the picture frame molds to the rotating panel member; and  
at least one additional wall surface proximate to the rotating panel member having at least a portion of the picture frame molds removably affixed thereto ~~for the placement of molds.~~

6. (new) The display device of claim 1 further comprising at least three of the rotating members in tandem and equidistancely spaced apart from one another.

7. (new) The display device of claim 1, the at least one rotating member comprising a column that is x-shaped in cross-section.

8. (new) The display device of claim 1, wherein picture frame pieces are removably attached to the frame member.

9. (new) The display device of claim 1, wherein one of the rotating members is equidistantly spaced between two other of the rotating members.

10. (new) The display device of claim 1, wherein a vertical panel divides two of the rotating members and picture frame pieces are attached to the vertical panel.

11. (new) The display device of claim 1, wherein the central axis of at least three of the rotating members lie within a single plane.

12. (new) The display device of claim 1, the fasteners comprising hook and loop fasteners mounted to the picture frame mold members and the rotating panel member.

13. (new) The display device of claim 3, wherein one of the rotating members is equidistantly spaced between two of the rotating members.

14. (new) The display device of claim 3, wherein a vertical panel divides two of the rotating panel members and picture frame molds are attached to the vertical panel.
15. (new) The display device of claim 3, wherein the central axis of at least three of the rotating members lie within a single plane.
16. (new) The display device of claim 3, the fasteners comprising hook and loop fasteners mounted to the picture frame molds and the rotating panel member.
17. (new) The display device of claim 5, wherein one of the rotating panel members is equidistantly spaced between two of the rotating panel members.
18. (new) The display device of claim 5, wherein a vertical panel divides two of the rotating panel members and picture frame molds are attached to the vertical panel.
19. (new) The display device of claim 5, wherein the central axis of at least three of the rotating panel members lie within a single plane.
20. (new) The display device of claim 5, the fasteners comprising hook and loop fasteners mounted to the picture frame molds and the rotating panel member.